

# **BEIER™** High Performance Replacement Cables & Cable Repair

# BOSCH REXROTH ECH Series

Replacement Cables and Repair Services for BOSCH REXROTH part numbers:

0 608 750 XXX / 0 608 PE0 85X





## BEIER™ High Performance Replacement Cables



#### BEIER™ REPLACEMENT-VERSIONS:

Please see all available BEIER™ cable versions on the examplary basis of a cable with the length of 5 meters. We have all common lengths on stock and can supply any special lengths on short notice.

This Replacement Cable is also available in version 120° Swivel, as well as in Flexi-Version for all connector types on request.

BEIER™ Item Number	Version	Description of Tool Connector
GSC-10-25364-05	Regular	Straight, non-rotatable
GSC-10-25363-05	Swivel	Straight, +/- 170° rotatable
GSC-10-24457-05	90° Swivel	90° angle, +/- 170° rotatable
on request	120° Swivel	120° angle, +/- 170° rotatable



## BEIER™ High Performance Cable Repair

#### **OUR REPAIR SERVICE COMPRISES:**

- Complete control including high-voltage test
- Complete removal of the damaged cable area
- Tool Connector Upgrade with optimized BEIER™ housing and connector components
- BEIER™ Integrated Bending Protection: robust, high flexible and ergonomic
- $\bullet$  High-voltage final test with logging of resistance values in the  $m\Omega\text{-range}$




### $\underline{\text{Comparison of average price-performance ratio}}$

# ✓ reduced operating costs

#### Your benefit:

With the BEIER™ Cable Repair Service you can achieve enormous cost savings within shortest time. In addition, the product life of Standard Durability Cables can be increased considerably through the utilization of our High Performance connector components and bending protection.





# The time for improvement is now.





#### **BEIER GmbH**

Kapellenweg 27/1 D-73447 Oberkochen / GERMANY

E-mail: info@beier.de Online: www.beier.de Phone: +49 7364 9607 - 0 Fax: +49 7364 9607 - 29

www.toolcable.com

All contents are the property of BEIER GmbH.
Printed in Germany / All rights to modify products & technical specifications reserved.